



Features

- 18.5" P-Cap or Resistive Touchscreen
- Intel 8th Gen. Core i3/i5 CPU
- Fanless Cooling System
- Easily accessible M.2 storage, up to 1TB
- IP66 Protected Front with Aluminum Housing
- Wide Range 9~36VDC Power Input

Technical Specifications

Primary Components

Processor Family	Intel Celeron or Core i 8th Generation Whiskey Lake
Processor Model	Core i3 8145UE, Core i5-8365UE
Processor Speed	2.2 GHz
Memory Type	1x DDR4 SO-DIMM
Memory Support	4GB, 8GB, 16GB, 32GB
Storage Type	1x M.2 M Key, PCIe or SATA, 2242 NVME support
Storage Support	M.2: 128GB-1TB

Display

Screen Size	18.5"
Screen Resolution	1920 x 1080 (Full HD)
Screen Ratio	16:9
Brightness	Optional 1000 nit High Brightness, 300 nits

Touch Screen

Touch Screen	Projected Capacitive, Resistive
--------------	---------------------------------

External I/O Ports

USB	4x USB 3.0
Serial / Com	1x COM
Serial Protocol Detail	Included Y-Cable provides two DB-9 Com ports: 1x 5-pin RS-232 (COM1) and 1x Configurable 3-Pin RS-232/422/485 (COM2)
Ethernet / LAN	2x RJ45 GbE LAN
Video Outputs	1x DisplayPort
Other Ports	1x 2-Pin DC Power Switch Connector
Audio Ports	1x 3.5mm Audio Line-Out
Power Input Port	DC-in Jack (Phoenix Type), 2-Pin Power Switch

Power

Input Voltage Range	9-36V DC
Max Power Consumption	70W
Standard Power Adapter	Optional 12V 7.5A AC/DC adapter

Battery

Battery Type	Optional Internal Battery
Battery Operating Time	20min

Operating Systems

Windows	Windows 10 IoT, Windows 11
Linux	Linux Ubuntu 20.04 or above (Contact your sales rep for more information), Yocto Linux

Compatibility

Security Hardware	TPM 2.0
-------------------	---------

Multimedia

Speakers	Optional Speaker
----------	------------------

Thermal & Environmental

Operating Temperature	0°C - 50°C (32°F – 122°F)
Storage Temperature	-20°C - 60°C (-4°F – 140°F)
Cooling Solution	Passive – Fanless with Heatsink
Humidity Range	10% – 95% Non-condensing

Enclosure

Material	Aluminum
IP Rating	IP66 Front Bezel
Color	Gray
Led Indicator Light	Power
Mounting Options	Panel Mount, VESA Mount

Weight / Dimensions

Weight	6.7 kg (14.8 lbs)
Dimensions	499.6 x 314 x 65.4 mm (19.7 x 12.4 x 2.6 in)

Certification

Certifications


CE, FCC Class A, UL 62368

Warranty


Warranty

1 Year

I/O Diagram Images



Tech Diagram Images



All specifications are subject to change without notice.