

#### **Features**

- 23.8" Pcap Touchscreen
- 7th Gen Intel Core i5/i7 Processor
- Easy Access Hot-Swappable Batteries for 24/7 operation
- 60601-1 4th Edition Medically Certified
- 1x PCI-Ex4 Slot
- Anti-bacterial Housing with Front Control Buttons
- Optional TPM 2.0 Security

# **Technical Specifications**

# General Expansion Slots

Main Category Medical Computer Internal Mini PCle 1x Mini-PCle

PCIe Slot Yes

PCIe Expansion 1x PCI-E (x4)

Details

Multimedia

video card support Intel HD620

#### **Primary Components**

Processor Family Intel Core I series 7th Camera Optional 5MP Webcam Generation Kaby Lake Microphone Built-in Microphone

Processor Model Core i5-7200U

Processor Speed 2.5 GHz

Memory Type 1x DDR4 SO-DIMM Memory Support 4GB, 8GB, 16GB

Storage type 1x 2.5" SATA Drive Bay for

SSD/HDD, M.2

Storage support 32GB-1TB

**Display** 

Supported

# Thermal and Environmental

Screen Size 23.8" Operating Array

Resolution 1920 x 1080 (Full HD) Temperature (32°F – 104°F)

Screen Ratio 16:9 Storage Temperature Array

Brightness 250 nits  $(-4^{\circ}\text{F} - 140^{\circ}\text{F})$ Contract Ratio 2000:1 Humidity Range 10% – 90% No

Contrast Ratio 3000:1 Humidity Range 10% – 90% Non-condensing Storage Humidity 10% – 90% Non-condensing 178° (H), 178° (V)

Number of Colors 16.7M Cooling Solution Passive – Fanless

Teguar Corporation Phone: +1 (704) 960-1761 https://teguar.com sales@teguar.com

# 24" Medical Cart Computer with Hot Swappable Batteries | TM-5510-24



#### **Touch Screen**

Touch Screen Projected Capacitive (Multi-

touch)

Light Transmission 90±3%

Hardness 7H

**Enclosure** 

Material Plastic

Ip Rating IP65 Front Bezel

Color White

Antibacterial Housing Yes - Tested to ISO 22196

Standard

Led Indicator Light Battery, Clean me, Fn Key, LCD

On/Off

Control Buttons Audio Down, Audio Up,

Brightness Down, Brightness Up, Display on/off, Reading Light, Touchscreen Lock for

1x Programmable Function Key

Cleaning

Programmable Function Buttons

Mounting Options Table Mount, VESA 100 Mount

Approved Cleaning

Solutions

Alcohol, Chlorine and

Compounds, Glutaraldehyde, Hydrogen Peroxide, Orthophthalaldehyde (OPA), Quaternary Ammonium

Compounds

Cleaning Instructions View instructions here

**Peripherals & Wireless Connectivity** 

#### External I/O ports

USB 4x USB 3.0, 2x Optional USB

3.0

Serial / Com 2x COM

Serial Protocol Detail 1x RS-232, 1x RS-

232/422/485

Ethernet / LAN 2x RJ45 GbE LAN
Video Outputs 2x DisplayPort
Audio 1x Audio Line-Out

#### **Power**

#### **Dimensions / Weight**

Standard Power

Adapter

100~240V / 47~63 Hz

Weight

Certification

9 KG (19.8 lbs)

Dimensions 594 x 397 x 56 mm (23.4 x 15.6

x 2.2 in)

#### **Battery**

Type Optional Hot Swappable

Battery

Quantity 3x Batteries

Certifications

60601-1 4th Edition, CE, Energy

Star 6.1 Compliance, FCC

Class B, IEC 62133, UL 60950

# **Operating Systems**

Windows Windows 10 IoT

### Warranty

Warranty 1 Year

Teguar Corporation Phone: +1 (704) 960-1761 https://teguar.com sales@teguar.com



#### Compatibility

#### **Filters**

Security Hardware


Optional TPM 2.0, Optional

**VPro** 

# **Inputs / Outputs**



#### **Technical Drawings**



All specifications are subject to change without notice.

Teguar Corporation Phone: +1 (704) 960-1761 <a href="mailto:https://teguar.com">https://teguar.com</a> <a href="mailto:sales@teguar.com">sales@teguar.com</a>