

TSC-4810-19

19" Cable Gland Computer



Key Highlights

- 19" Resistive or PCap Touchscreen Options
- Intel Celeron J6412 Processor Passmark Rating 3839
- Windows 11 Capabilities
- Integrated Cable Gland supporting up to 5 I/O cables
- IP69K Waterproof Rated

[VIEW ONLINE](#)

The 19" Cable Gland Computer stands as a rugged computing solution, boasting an IP69K waterproof rating to tackle the rigorous cleaning procedures essential in food and meat processing environments. Its integrated cable gland, accommodating up to five I/O cables, facilitates efficient cable management and ensures a sealed design. Running on Windows 11, powered by the dependable Celeron J6412 CPU, this computer offers seamless performance. Its WiFi 6 capabilities enable high-speed and reliable wireless connectivity, enhancing productivity in demanding industrial settings. With a focus on durability, hygiene, and robust processing, the 19" Cable Gland Computer proves to be a crucial asset in these industries.

USA

Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE

Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA

Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

Technical Specifications

Primary Components

Processor Family	Intel Celeron Elkhart Lake
Processor Model	Celeron J6412
Processor Speed	2.0 GHz, 2.6 GHz
Memory Type	2x DDR4 SO-DIMM
Memory Support	4GB, 8GB, 16GB, 32GB
Storage Type	1x 2.5" SATA Drive Bay for SSD/HDD (Internal, not with removable drive in use), 1x M.2 SATA3 2242 Slot
Storage Support	M.2 and 2.5": 128GB - 1TB

External I/O Ports

USB	2x USB 2.0, 2x USB 3.2
Serial / Com	2x COM
Serial Protocol Detail	RS-232/422/485
Ethernet / LAN	1x RJ45 2.5 GbE LAN, 1x RJ45 GbE LAN
Video Outputs	1x HDMI 2.0b, 1x VGA
Audio Ports	1x 3.5mm Audio Line-Out, 1x 3.5mm Microphone Jack
Power Input Port	M12 type 5-PIN DC-in

Thermal & Environmental

Operating Temperature	0°C - 40°C - 0°C - 50°C (32°F - 104°F (With HDD), 32°F - 122°F (With SSD))
Storage Temperature	-20°C - 60°C (-4°F - 140°F)
Cooling Solution	Passive - Fanless
Humidity Range	0% - 90% Non-condensing
Storage Humidity	10% - 90% Non-condensing

Peripherals & Wireless Connectivity

WiFi	Optional Wi-Fi 6 (802.11 a/b/g/n/ac/ax) Dual band with Flat Robust Antennas
Bluetooth	Optional Bluetooth 5.3
Barcode Scanner	Optional 1D/2D with Device Box

Warranty

Warranty	Up to 5 Years
----------	---------------

Specifications subject to change.

Display

Screen Size	19
Screen Resolution	1280 x 1024 (SXGA)
Screen Ratio	5:4
Brightness	350 nits

Touch Screen

Touch Screen	5 Wire Resistive, Projected Capacitive (Multi-touch)
Hardness	Resistive: 3H, P-cap: 7H

Power

Input Voltage Range	12-28V DC
Standard Power Adapter	100-277Vac / 47-63 Hz / 24Vdc, 120W, IP68

Operating Systems

Windows	Windows 10 IoT, Windows 10 Pro, Windows 11 IoT, Windows 11 Pro
---------	--

Compatibility

Security Hardware	fTPM 2.0, Optional TPM 2.0
-------------------	----------------------------

Multimedia

Speakers	Optional Speaker
----------	------------------

Enclosure

Material	Stainless Steel
IP Rating	IP66, IP69K
Color	Stainless Steel
Control Buttons	Power Button
Mounting Options	VESA 100 Mount, Wall Mount, Yoke Mount

Weight / Dimensions

Weight	11.5 kg (25.4 lbs)
Dimensions	458 x 64 x 386 mm (18.0 x 2.5 x 15.2 in)

USA

Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com


EUROPE

Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA

Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

I/O Diagram Images



USA


Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE

Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA

Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw



USA

Teguar
 2920 Whitehall Park Drive
 Charlotte, NC 28273
 +1 866-693-3105
 sales@teguar.com

EUROPE

Teguar Europe AG
 Churerstrasse 54, CH-8808
 Pfäffikon, Switzerland
 +41 41 561 53 11
 sales.EU@teguar.com

ASIA

Teguar Taiwan Ltd.
 Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
 Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
 +886 2 7751 5319
 sales@teguar.com.tw