

# TM-5957-22

## 22" Medical Computer



### Key Highlights

- Intel 11th Gen Tiger Lake Core i5/i7 CPU
- Windows 11 Operating System
- Latest 4th Edition 60601 Medical Certifications
- Empowered by Hailo-8 M.2 AI module up to 26 TOPS (available upon request)
- Lightweight, Ultra-thin Design w/ Antimicrobial Housing
- High-Speed NVMe SSD Storage
- [Need customization? Click here for OEM services.](#)

[VIEW ONLINE](#)

The TM-5957-22 features a powerful 11th generation Intel Core Tiger Lake i5/i7 processor capable of running Windows 11. Measuring at 44 mm in width and weighing only 11 pounds, this medical computer is the lightest medical computer in its class. The lightweight design makes it best-in-class for medical carts and bedside terminals that have been overweight and difficult to maneuver for too long. The front is IP65 rated with medical grade anti-bacterial coated plastic, so this PC can withstand spills, sprays and repeated wipe downs with cleaning chemicals. Because of the fanless cooling system, this PC has quiet operation and prevents the spread of dust and germs. For easy integration with other medical devices, the TM-5957-22 comes standard fully packed with WiFi 6, BT 5.2, a front camera, and even isolated I/Os. Healthcare personnel can switch rooms without having to power down the computer, or use a heavy battery powered cart, because this medical panel computer has an optional battery pack that provides about two hours of power.

#### USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
[sales@teguar.com](mailto:sales@teguar.com)

#### EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
[sales.EU@teguar.com](mailto:sales.EU@teguar.com)

#### ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
[sales@teguar.com.tw](mailto:sales@teguar.com.tw)

# Technical Specifications

## Primary Components

Processor Family	Intel Core I series 11th Generation Tiger Lake
Processor Model	Core i5 1145G7E, Core i7-1185G7E
Processor Speed	Up to 2.8 GHz
Memory Type	2x DDR4 SO-DIMM
Memory Support	4GB, 8GB, 16GB, 32GB, 64GB
Storage Type	2x NVME SSD M.2 2280
Storage Support	256GB (Standard), up to 1TB (Optional)

## Power

Input Voltage Range	19V DC
Standard Power Adapter	4.74 Amp AC/DC Adapter

## Battery

Battery Type	Optional Internal Battery
Battery Operating Time	2hrs

## Operating Systems

Windows	Windows 10 IoT, Windows 10 Pro, Windows 11 IoT, Windows 11 Pro
---------	--

## Expansion Slots

Internal M.2	1x M.2
Other	Dual RFID & Dual SmartCard

## Thermal & Environmental

Operating Temperature	0°C - 40°C (32°F - 104°F)
Storage Temperature	-10°C - 55°C (14°F - 131°F)
Cooling Solution	Passive - Fanless

## Peripherals & Wireless Connectivity

WiFi	Wifi 802.11 a/b/g/n/ac/ax Wifi 6
Bluetooth	Bluetooth 5.2
Peripheral Other	Reading Lights, Camera Privacy Latch

## Certification

Certifications	60601-1 4th Edition, ANSI/AAMI ES60601-1:2005;A1:2012;A2:2021, CAN/CSA-C22.2 No. 60601-1-1:14; A2:2022, CAN/CSA-C22.2 No. 60601-1-6:11, CAN/CSA-C22.2 No. 62368-1:19, EN 55011:2016+A2:2021 (RF), FCC Class B, IEC 61000-3-2 (EMC), IEC 61000-3-3 (EMC), ITE 62368, UL 62368-1:Ed.3,2019(R2021)
----------------	---

## Warranty

Warranty	Up to 5 Years
----------	---------------

Specifications subject to change.

## Display

Screen Size	21.5
Screen Resolution	1920 x 1080 (Full HD)
Screen Ratio	16:09
Brightness	500 nits

## Touch Screen

Touch Screen	Projected Capacitive (Multi-touch)
--------------	------------------------------------

## External I/O Ports

USB	4x USB 3.2, 5x USB 2.0
Serial / Com	4x COM
Serial Protocol Detail	4x RS232 (RJ48)
Ethernet / LAN	2x RJ45 GbE LAN
Video Outputs	1x HDMI
Audio Ports	1x 3.5mm Headphone Jack

## Compatibility

Security Hardware	TPM 2.0
-------------------	---------

## Multimedia

Speakers	2x 3W Speakers
Camera	Standard
Microphone	2x Built-in Microphones

## Enclosure

Material	Plastic
IP Rating	IP65 Front Bezel
Color	White
Control Buttons	Display on/off, On-Screen Display (OSD), Power Button
Mounting Options	VESA 100 Mount, VESA 75 Mount

## Weight / Dimensions

Weight	5.8 kg (12.8 lbs)
Dimensions	529.8 x 346.7 x 45 mm (20.9 x 13.6 x 1.8 in)

### USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
sales@teguar.com


### EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
sales.EU@teguar.com

### ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
sales@teguar.com.tw

## I/O Diagram Images



### USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
sales@teguar.com


### EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
sales.EU@teguar.com

### ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
sales@teguar.com.tw

## Tech Diagram Images



### USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
sales@teguar.com

### EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
sales.EU@teguar.com

### ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
sales@teguar.com.tw