TEGUAR

TSC-7010-19

19" IP69K Computer | Trident



Key Highlights

- 19" Touch Screens
- 12th Gen Intel Core i5 10-Core CPU
- Cable Gland for Sealed I/O Connections
- IP66, IP69K Waterproof Rating
- Windows 11 Compatible
- Dual 2.5 GbE LAN

VIEW ONLINE

The 19" IP69K Computer is equipped with a powerful 12th Gen Intel Core i5 10-Core CPU, which boasts seamless performance, complemented by the intuitive interface of Windows 11. With an IP66 and IP69K rating, it ensures unparalleled protection against dust, water, and high-pressure cleaning. Its sealed IO design for standard cables enhances durability in demanding environments. Featuring dual 2.5 GbE LAN ports, the TSC-7010 facilitates swift data transfer. Tailored for food and beverage manufacturing, pharmaceutical production, and cleanroom applications, it caters to diverse industrial needs with unparalleled effectiveness. **Looking for a lower cost IP65 or IP66 panel PC? We recommend Pinnacle, our lightweight, high-powered non-stainless steel flush mountable computer. View All Panel PCs with Waterproof Front Bezels.**

USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

Technical Specifications

Primary Components

Processor Family	Intel Core I series 12th Generation Alder Lake
Processor Model	Core i5-1245UE
Memory Type	2x DDR4 SO-DIMM
Memory Support	4GB, 8GB, 16GB, 32GB, 64GB
Storage Type	1x 2.5" SATA Drive Bay for SSD/HDD
Storage Support	32GB-1TB

External I/O Ports

USB	2x USB 2.0, 2x USB 3.2, 2x USB 3.2 Type C
Serial / Com	2x COM
Serial Protocol Detail	2x RS-232/422/485
Ethernet / LAN	2x RJ45 2.5 GbE LAN
Video Outputs	2x Display Port 1.4a via USB-C, 2x HDMI 2.0b
Audio Ports	1x Audio Line-Out, 1x Mic-In

Compatibility

Security Hardware	TPM 2.0

Multimedia

Speakers	Optional Speaker

Enclosure

Material	Optional SUS316 Stainless Steel, SUS304 Stainless Steel
IP Rating	IP66, IP69K
Color	Stainless Steel
Control Buttons	Brightness Down, Brightness Up, Power Button
Mounting Options	Swing Arm, Table Mount, VESA 100 Mount, Wall Mount

Weight / Dimensions

Weight	7.39 kg (16.3 lbs)
Dimensions	458 x 396 x 105 mm (18.0 x 15.6 x 4.1 in)

Certification

Certifications	CE, FCC

Display

Screen Size	19"
Screen Resolution	1280 x 1024 (SXGA)
Screen Ratio	5:4
Brightness	350 nits, Optional 1000 nit High Brightness

Touch Screen

Touch Screen	Projected Capacitive, Resistive
Hardness	Resistive: 3H, P-cap: 7H

Power

Input Voltage Range	12-28V DC
Standard Power Adapter	AC 100 ~ 277V / 47 ~ 63 Hz / DC output 24V, 5A, 120W, IP68

Operating Systems

Windows	Windows 10 IoT, Windows 10 Pro, Windows 11 Pro
Linux	Linux

Expansion Slots

Internal M.2	1x M.2 3042/3052 Key B (For 4G/5G Cellular expansion option), 1x M.2 for NVME SSD Support, 1x M.2 Type E

Thermal & Environmental

Operating Temperature	0°C ~ 40°C (32°F – 104°F)
Storage Temperature	-20°C ~ 60°C (-4°F – 140°F)
Cooling Solution	Passive – Fanless
Humidity Range	10% – 90% Non-condensing
Storage Humidity	10% – 90% Non-condensing

Peripherals & Wireless Connectivity

WiFi	Optional WiFi + Bluetooth Flat Antenna Kit
Sim Card	1x Nano SIM Card Slot
Barcode Scanner	Optional 1D/2D Barcode Scanner
RFID	Optional RFID (Cannot coexist with barcode scanner)

Warranty

Warranty	Up to 5 Years


Specifications subject to change.

USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

I/O Diagram Images




USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

Tech Diagram Images



USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw