

# TRT-5180-10

10" Rugged Tablet PC



## Key Highlights

- 10.1" Gorilla Glass Touchscreen
- Intel Kabylake or Skylake Dual Core CPU
- IP65 Water, Dirt and Dust Protection
- MIL-STD-810G Shock and Drop Resistant
- Built-in Wi-Fi and Bluetooth
- Note: Only Intel Kaby Lake Dual-Core processor available if purchased online.

[VIEW ONLINE](#)

The TRT-5180-10 [rugged tablet](#) is built to withstand rigorous, long-term operation in the toughest environments. It runs on an Intel Kabylake or Skylake Dual Core processor and its IP65 rated housing protects it from water, humidity, dust and dirt. The TRT-5180-10 can withstand accidental drops, shocks and falls, as it complies with MIL-STD-810G and it has an easy-access, removable battery that lasts up to 8 hours. This versatile tablet comes with a wide range of inputs and outputs and comes standard with built-in Bluetooth, Wi-Fi, GPS, and 3G capabilities, so you can stay connected wherever you go.

### USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
[sales@teguar.com](mailto:sales@teguar.com)

### EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
[sales.EU@teguar.com](mailto:sales.EU@teguar.com)

### ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
[sales@teguar.com.tw](mailto:sales@teguar.com.tw)

# Technical Specifications

## Primary Components

Processor Family	Intel Core M series, 6th or 7th Generation
Processor Model	m3-6y30;m3-7y30
Processor Speed	1.0 GHz, 900 Mhz
Memory Type	Onboard DDR3
Memory Support	4GB, 8GB
Storage Type	M.2
Storage Support	32GB (Standard), up to 128GB (Optional)

## External I/O Ports

USB	1x Micro USB Port, 1x USB 3.0
Serial / Com	1x COM
Serial Protocol Detail	1x RS-232(2wire)
Ethernet / LAN	1x RJ45 10/100 LAN
Video Outputs	1x Mini HDMI
Audio Ports	1x Headphone Jack
Power Input Port	3.5mm DC-in Jack

## Multimedia

Speakers	1x 0.8W Speaker
Camera	Front: 2MP, Rear: 8MP

## Thermal & Environmental

Operating Temperature	-20°C - 60°C (-4°F - 140°F)
Storage Temperature	-30°C - 70°C (-22°F - 158°F)
Cooling Solution	Passive - Fanless
Humidity Range	95% Non-condensing

## Peripherals & Wireless Connectivity

WiFi	Wi-Fi (a/b/g/n/ac)
Bluetooth	Bluetooth 4.2
GPS	Ublox 7
Mobile Network 4G LTE	Optional M.2 Quectel 4G LTE, North America, South America, EMEA, Australia/NZ
Sim Card	1x Micro SIM Card Slot
Barcode Scanner	Optional 1D/2D Barcode Scanner
Peripheral Other	Cigarette adapter; Digitizer Pen; Handstrap; Desktop Dock; Vehicle Dock; Forklift Dock; Shoulder Strap; Back Strap; Mounts
Sensors	Accelerometer, Light Sensor

## Display

Screen Size	10.1"
Screen Resolution	1920 x 1200 (WUXGA)
Screen Ratio	16:10
Brightness	300 nits

## Touch Screen

Touch Screen	Projected Capacitive (Multi-touch)
Glass Type	Gorilla Glass

## Battery

Battery Type	Removable 7.4V/5000mAh Battery
Battery Operating Time	8hrs

## Operating Systems

Windows	Windows 10 IoT, Windows 10 Pro
---------	--------------------------------

## Compatibility

Security Hardware	TPM 2.0
-------------------	---------

## Expansion Slots

Video Card Support	Intel® HD Graphics 515
SD card	1x Micro SD Slot
Other	Pogo Pin Expansion

## Enclosure

Material	Double Injection
IP Rating	IP65
Color	Black
Shock Rating	MIL-STD-810G
Mounting Options	Forklift Mount, Vehicle Mount

Approved Cleaning Solutions	3M HB Quat, Acetone, Actichlor, Alcohol, Ammonium Nitrate (low concentration), Antigone, Betasept, Bleach, Caviwipes, Chloride, CIDEX, Control III Disinfectant Germicide, Dispatch Disinfectant Cleaner CLH69101, Incidin, Isopropyl Alcohol, LpH se, MikroBac, MikroZid, Peridox, Puregreen 24 Disinfectant, SDW 70C, Sodium Hypochlorite, SporeClear, Trigene, Viraguard, Virkon, Windex
-----------------------------	---

## Weight / Dimensions

Weight	1.01 kg (2.2 lbs)
Dimensions	280 x 187 x 26.6 mm (11.0 x 7.4 x 1.0 in)

## Certification

Certifications	CE
----------------	----

## Warranty

Warranty	1 Year
----------	--------

### USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
sales@teguar.com


### EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
sales.EU@teguar.com

### ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
sales@teguar.com.tw

## I/O Diagram Images



### USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
sales@teguar.com


### EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
sales.EU@teguar.com

### ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
sales@teguar.com.tw

# Tech Diagram Images



## USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
sales@teguar.com

## EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
sales.EU@teguar.com

## ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
sales@teguar.com.tw