

# TM-5010-15

## 15" Medical Panel PC



### Key Highlights

- 15.6" P-Cap LED Touchscreen
- Intel Skylake Core i3/i5/i7 CPU
- Optional 4KV LAN/COM/USB isolated I/Os
- 60601-1 4th Edition Certified
- Supports Intel vPro Hardware Security
- Anti-Bacterial Housing to Resist MRSA

[VIEW ONLINE](#)

The TM-5010-15 panel PC is a compact, efficient PC that meets or exceeds medical grade computer requirements. With its high performance Intel 6th generation Core i3/i5/i7, this powerful medical panel PC keeps up with demanding medical needs. The anti-bacterial plastic housing supports a multi-touch full HD screen with easy wipe surfaces. This medical grade computer supports Intel vPro with options for TPM v2.0 for hardware security and has an optional 3.2M pixel camera, battery pack, WLAN/Bluetooth module with inner antenna, desktop stand and RFID reader. Designed for a wide variety of functions within medical environments, The TM-5010-15 medical grade computer is a reliable solution to keep things running smoothly at any medical care center.

#### USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
sales@teguar.com

#### EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
sales.EU@teguar.com

#### ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
sales@teguar.com.tw

# Technical Specifications

## Primary Components

|                  |  |
|------------------|--|
| Processor Family | Intel Core I series 6th Generation Skylake |
| Processor Model  | Core i5-6200                               |
| Processor Speed  | 2.3 GHz                                    |
| Memory Type      | 2x DDR4 SO-DIMM                            |
| Memory Support   | 4GB, 8GB, 16GB, 32GB                       |
| Storage Type     | 1x 2.5" SATA Drive Bay for SSD/HDD         |
| Storage Support  | 32GB-1TB                                   |

## External I/O Ports

|                        |   |
|------------------------|---|
| USB                    | 4x USB 3.0  |
| Serial Protocol Detail | 1x RS-232, 1x RS-232/422/485 (RS485 supports auto flow control) |
| Ethernet / LAN         | 2x RJ45 GbE LAN   |
| Video Outputs          | 2x DisplayPort  |
| Other Ports            | 4KV Isolation Option 1x ISO COM, 1x ISO LAN, 1x ISO USB 2.0     |

## Compatibility

|                   |                            |
|-------------------|----------------------------|
| Security Hardware | TPM v2.0 (Windows 10 Only) |
|-------------------|----------------------------|

## Multimedia

|          |                       |
|----------|-----------------------|
| Speakers | 2x 2W Speakers        |
| Camera   | Optional 3.2MP Webcam |

## Enclosure

|                               |  |
|-------------------------------|--|
| Material                      | Plastic  |
| IP Rating                     | IP65 Front Bezel   |
| Color                         | White  |
| Led Indicator Light           | Battery, HDD Access, Power   |
| Control Buttons               | Audio Down, Backlight on/off, Brightness Down, Brightness Up, Clean me, Power Button, Webcam (disable) |
| Programmable Function Buttons | 1x Programmable Function Key   |
| Shock Rating                  | Operating: 11 ms, half sine wave   |
| Drop Rating                   | 3ft Drop Protection  |
| Mounting Options              | Desktop Stand, VESA Mount, Wall Mount  |

## Certification

|                |  |
|----------------|--|
| Certifications | 60601-1 4th Edition, CE, FCC Class B, VCCI |
|----------------|--|

## Display

|                   |            |
|-------------------|------------|
| Screen Size       | 15.6"      |
| Screen Resolution | 1366 x 768 |
| Screen Ratio      | 16:9       |
| Brightness        | 400 nits   |

## Touch Screen

|              |                                    |
|--------------|------------------------------------|
| Touch Screen | Projected Capacitive (Multi-touch) |
| Hardness     | 7H                                 |

## Power

|                        |                        |
|------------------------|------------------------|
| Max Power Consumption  | 96W                    |
| Standard Power Adapter | AC 90V-264V / 47-63 Hz |

## Battery

|              |                           |
|--------------|---------------------------|
| Battery Type | Optional Internal Battery |
|--------------|---------------------------|

## Operating Systems

|         |                               |
|---------|-------------------------------|
| Windows | Windows 10 Pro, Windows 7 Pro |
|---------|-------------------------------|

## Expansion Slots

|                    |                                  |
|--------------------|----------------------------------|
| Internal M.2       | 1x M.2 Type E                    |
| Video Card Support | Intel Integrated HD Graphics 520 |

## Thermal & Environmental

|                       |                             |
|-----------------------|-----------------------------|
| Operating Temperature | 0°C - 35°C (32°F - 95°F)    |
| Storage Temperature   | -20°C - 60°C (-4°F - 140°F) |
| Cooling Solution      | Passive - Fanless           |
| Humidity Range        | 10% - 90% Non-condensing    |
| Storage Humidity      | 10% - 90% Non-condensing    |

## Peripherals & Wireless Connectivity

|      |   |
|------|---|
| WiFi | Optional 802.11 a/b/g/n/AC WLAN module + Optional Bluetooth |
| RFID | Optional RFID reader (13.56Hz) (5V USB)                     |

## Weight / Dimensions

|            |  |
|------------|--|
| Weight     | 5 kg (11.0 lbs)                          |
| Dimensions | 430 x 300 x 83 mm (16.9 x 11.8 x 3.3 in) |

## Warranty

|          |               |
|----------|---------------|
| Warranty | Up to 5 Years |
|----------|---------------|

Specifications subject to change.

### USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
sales@teguar.com

### EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
sales.EU@teguar.com

### ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
sales@teguar.com.tw

## I/O Diagram Images



### USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
sales@teguar.com


### EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
sales.EU@teguar.com

### ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
sales@teguar.com.tw

# Tech Diagram Images



## USA

Teguar  
2920 Whitehall Park Drive  
Charlotte, NC 28273  
+1 866-693-3105  
sales@teguar.com

## EUROPE

Teguar Europe AG  
Churerstrasse 54, CH-8808  
Pfäffikon, Switzerland  
+41 41 561 53 11  
sales.EU@teguar.com

## ASIA

Teguar Taiwan Ltd.  
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,  
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)  
+886 2 7751 5319  
sales@teguar.com.tw