

HALCYON TP-7310-22

21.5" High Performance GPU Panel PC



Key Highlights

- Raptor Lake Processor
- DDR5 High Speed Memory and Two Slots for Dual M.2 Storage
- PCIe x16 Slot for wide I/O Expansion or Graphics Card
- Built-in Power Supply
- Windows 11 Ready
- 2.5 Gbe LAN for High-Speed Edge Endpoint
- Need a different screen size? Call for Halcyon's display options.

[VIEW ONLINE](#)

The TP-7310-22 is a blazing [fast performance panel PC](#) with a bright HD display in PCAP or resistive touch options. What sets this series apart is its near-limitless PCIe expansion board, which offers robust support for the highest-end GPUs, NPUs, and added I/Os. The powerful 21.5" Halcyon panel computer is designed to be customized for any specified needs. Other standout features include the latest high-speed DDR5 RAM as well as an integrated power supply, eliminating the need for any bulky box adapters weighing down the power cable. The strong processing of the [Intel®](#) 14th Gen CPU coupled with its customizable versatility makes Halcyon a powerful all-in-one solution.

USA

Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE

Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA

Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

Technical Specifications

Primary Components

Processor Family	Intel Core I series 14th Generation Raptor Lake
Processor Model	Core i5-14400
Processor Speed	4x Efficient Cores up to 3.5GHz, up to 4.7 GHz, 6x Performance Cores @ 2.5 GHz, up to 4.7 GHz Turbo
Memory Type	2x DDR5 SO-DIMM
Memory Support	4GB, 8GB, 16GB, 32GB, 64GB, 96GB
Storage Type	1x M.2 2242/2280 NVME SSD Slot, 1x M.2 2242 SATA/NVMe SSD Slot
Storage Support	M.2: 128GB-1TB

External I/O Ports

USB	2x USB 2.0, 4x USB 3.2
Serial / Com	3x COM
Serial Protocol Detail	COM1 & COM2 - RS-232/422/485, COM3 - RS-232
Ethernet / LAN	1x RJ45 2.5 GbE LAN, 1x RJ45 GbE LAN

Specifications subject to change.

Display

Screen Size	21.5
Screen Resolution	1920 x 1080 (Full HD)
Screen Ratio	16:9
Brightness	250 nits

Touch Screen

Touch Screen	Projected Capacitive (Multi-touch), Resistive
Hardness	Resistive: 3H, P-cap: 7H

USA

Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com


EUROPE

Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA

Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

I/O Diagram



① Power Supply Switch

② RS-232 COM

③ DisplayPort

④ Customizable Expansion

⑤ RS-232/422/485 COM

⑥ HDMI 2.0b

⑦ HDMI 1.4b

⑧ 2x USB 2.0

⑨ 1.0 Gbps LAN

⑩ Unit Power Switch

⑪ 2.5 Gbps LAN

⑫ 4x USB 3.2

⑬ Line-out

⑭ Mic-in

⑮ PCIe x16 Expansion Slot

USA

Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com


EUROPE

Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA

Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

2D Drawing



USA

Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE

Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA

Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw