TEGUAR

TD-40-12

12" Industrial Display Screen



Key Highlights

- 12" Touchscreen Display
- USB and HDMI Connectivity Options
- VESA Mountable
- 2-Piece Modular Design
- Stand Accessory Available

VIEW ONLINE

The 12" Industrial Display Screen combines compact size with intuitive touch capabilities. With USB-C compatibility, it transmits video, power, and touch signals from the connected device, ensuring seamless integration and reducing cable clutter. HDMI serves as a reliable backup option, in case USB-C is not a viable option for your system. This display is VESA mountable, which offers flexible placement options, adapting to various environments effortlessly. Despite its advanced features, the TD-40-12 remains a low-cost display option, democratizing access to high-quality visuals without compromising performance, making it an ideal choice for budget-conscious consumers seeking premium functionality. *Stand not included. *Minimum order quantity: 30*

USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

Technical Specifications

Display

Screen Size	11.6"
Screen Ratio	16:9
Brightness	220 nits

Power

Input Voltage Range	12V DC
Standard Power Adapter	12V/3.0A US AC Power Supply 36W

Enclosure

Material	Plastic
Color	Black
Control Buttons	Auto Adjust, Power Button
Mounting Options	Desktop Stand, VESA 75 Mount

Certification

Certifications	CE, FCC

Specifications subject to change.

Touch Screen

Touch Screen	Projected Capacitive (Multi-touch)

External I/O Ports

USB	1x USB 2.0 Type-C (Power/Video/Touch)

Multimedia

Camera	Optional 2MP or 5MP Webcam

Thermal & Environmental

Operating Temperature	0°C ~ 35°C (32°F ~ 95°F)
Storage Temperature	-20°C ~ 65°C (-4°F ~ 149°F)
Humidity Range	20% ~ 85% Non-condensing

Weight / Dimensions


Dimensions	289 x 193 x 29 mm (11.4 x 7.6 x 1.1 in)

USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

I/O Diagram Images




USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

Tech Diagram Images



USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw