

TSP-4845-17

17" Stainless Panel PC



Key Highlights

- 17" Resistive or PCAP Touchscreen
- Intel Celeron J6412 Processor
- Windows 11 Operating System
- IP66/IP69K Stainless Steel Front Bezel
- Aluminum back enclosure

[VIEW ONLINE](#)

The 17" Stainless [Panel PC](#) has an IP66/IP69K compliant front bezel that provides robust protection against water and harsh chemicals, making it an excellent choice for food and beverage application. Its aluminum back enclosure keeps it lightweight and allows for easy access to inputs and outputs. This unit runs on an Intel Celeron J6412 CPU and is Windows 11 compatible, ensuring a seamless user experience. With an optional smart battery, it becomes a reliable and efficient computing solution for your industrial environment.

USA

Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE

Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA

Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

Technical Specifications

Primary Components	
Processor Family	Intel Celeron Elkhart Lake
Processor Model	Celeron J6412 Quad
Processor Speed	2.0 GHz
Memory Type	1x DDR4 SO-DIMM
Memory Support	4GB, 8GB, 16GB, 32GB
Storage Type	1x M.2 M Key, PCIe or SATA, 2242 default or 2280
Storage Support	128GB-1TB
Power	
Input Voltage Range	9-36V DC
Standard Power Adapter	Optional 12V 5A AC/DC Adapter
Operating Systems	
Windows	Windows 10 IoT, Windows 10 Pro, Windows 11
Expansion Slots	
Internal M.2	1x M.2 2230 Key E (for WiFi expansion option)
Enclosure	
Material	Aluminum, Optional SUS316 Stainless Steel, SUS304 Stainless Steel
IP Rating	IP66 Front Bezel, IP69K Front Bezel
Color	Silver, Stainless Steel
Mounting Options	Panel Mount, VESA 100 Mount
Peripherals & Wireless Connectivity	
WiFi	Optional 802.11 ac + Bluetooth with External Antennas
Bluetooth	Optional Bluetooth 4.0
Certification	
Certifications	CE, EN 1672-2 Complaint (PCAP Touchscreen Only), FCC Class A

Specifications subject to change.


Display	
Screen Size	17"
Screen Ratio	5:4
Brightness	350 nits, Optional 1000 nit High Brightness
Touch Screen	
Touch Screen	Projected Capacitive, Resistive
External I/O Ports	
USB	2x USB 2.0, 2x USB 3.2
Serial / Com	1x COM
Serial Protocol Detail	1x RS-232/422/485 DB-9, default RS-232(COM1)
Ethernet / LAN	2x RJ45 2.5 GbE LAN
Video Outputs	1x DisplayPort
Audio Ports	1x Audio Line-Out
Power Input Port	DC-in Jack (Phoenix Type)
Thermal & Environmental	
Operating Temperature	0°C - 50°C (32°F - 122°F), -20°C - 60°C (Optional -4°F - 140°F)
Storage Temperature	-30°C - 70°C (-22°F - 158°F)
Cooling Solution	Passive - Fanless
Humidity Range	10% - 95% Non-condensing
Storage Humidity	10% - 90% Non-condensing
Weight / Dimensions	
Weight	6.4 kg (14.1 lbs)
Dimensions	449 x 358 x 63.8 mm (17.7 x 14.1 x 2.5 in)
Warranty	
Warranty	Up to 5 Years

USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

I/O Diagram Images



USA


Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE

Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA

Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw



USA

Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE

Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA

Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw