TP-5593-22

22" Eclipse Panel PC



Key Highlights

- 1920 x 1080 Full HD Display & Capacitive Touchscreen
- Fanless Cooling System
- Front IP65 Rated Full Flush Bezel Aluminum Chassis
- Multiple VESA Mounting Options
- Wide Input Voltage Range (8-24V DC)
- Windows 11 IoT, Windows 10 IoT or Windows 10 Pro Compatible

VIEW ONLINE

The 22" Eclipse Panel PC offered as part of Teguar's Eclipse Panel PC line combines many popular features of our computers, including a large HD touchscreen, aluminum chassis, high processing power, an IP65 rated waterproof front bezel, and more. But perhaps the most desirable feature of the TP-5593-22 is its **low cost**. By limiting customization options and streamlining assembly, Teguar is now able to offer this 22-inch industrial computer at a price more commonly associated with smaller screen size computers. Add in up to 32 GB of RAM, an Intel Core i3 Processor and optional WiFi, and the TP-5593-22 emerges as one of Teguar's most attractive offerings yet. >> Read an independent review of the TP-5593-22 by ruggedpcreview.com

USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

Technical Specifications

Primary Components

Processor Family	Intel Core I series 7th Generation Kaby Lake
Processor Model	Core i3-7100U
Processor Speed	2,4 GHz
Memory Type	2x DDR4 SO-DIMM
Memory Support	4GB, 8GB, 16GB, 32 GB
Storage Support	64GB-512GB

External I/O Ports

USB	4x USB 3.0
Serial / Com	4x COM
Ethernet / LAN	2x RJ45 GbE LAN
Video Outputs	1x DisplayPort, 1x HDMI
Other Ports	1x 8-Bit-GPIO-Klemmenblock
Power Input Port	3-poliger DC-Eingang (Phoenix-Typ)

Thermal & Environmental

Storage Humidity	10% – 90% Non-condensing

Weight / Dimensions

Weight	8 kg (17.6 lbs)
Dimensions	508 x 308 x 83 mm (20.0 x 12.1 x 3.3 in)

Certification

Certifications	CE, FCC Klasse B, IEC 60068-2-27 für Vibration / Schock

Specifications subject to change.

Display

Screen Size	21.5"
Screen Ratio	16:9
Brightness	250 nits

Touch Screen

Touch Screen	Projected Capacitive (Multi-touch)
Hardness	7H

Power

Input Voltage Range	8-24V DC

Operating Systems

Windows	Windows 10 IoT, Windows 10 Pro

Expansion Slots

Internal M.2	1x M.2 Typ E

Multimedia

Speakers	2x 2W-Lautsprecher

Enclosure

Color	Silber
Control Buttons	Power Reset
Shock Rating	10g für 11ms

USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

I/O Diagram Images



USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw

Tech Diagram Images



Suggest cut out dimension: 497mm x 297mm

USA
Teguar
2920 Whitehall Park Drive
Charlotte, NC 28273
+1 866-693-3105
sales@teguar.com

EUROPE
Teguar Europe AG
Churerstrasse 54, CH-8808
Pfäffikon, Switzerland
+41 41 561 53 11
sales.EU@teguar.com

ASIA
Teguar Taiwan Ltd.
Rm. A, 28F-12., No.99, Sec. 1, Xintai 5th Rd.,
Xizhi Dist., New Taipei City 221, Taiwan (R.O.C.)
+886 2 7751 5319
sales@teguar.com.tw