



Features

- 11.6" LED with PCAP Touchscreen
- Intel 11th Gen Tigerlake CPU
- Slim, Durable Housing, Small form factor
- Customizable, Modular, Expandable
- Full Function USB Type C

Technical Specifications

Primäre Komponenten

Processor Family	Intel Core I series 11th Generation Tiger Lake
Processor Model	Core i3-1115G4E
Memory Type	1x DDR4 SO-DIMM
Memory Support	4GB, 8GB, 16GB
Storage Type	M.2
Storage Support	M.2: 128GB-1TB

Display

Screen Size	11.6"
Screen Ratio	16:9
Brightness	300 nits

Touchscreen

Touch Screen	Projected Capacitive (Multi-touch)
--------------	------------------------------------

Externe E/A-Ports

USB	1x USB 2.0 type C (data only), 1x USB 3.0 Type-C (Power/Video/Data), 2x USB 2.0, 2x USB 3.0
Serial / Com	2x COM
Serial Protocol Detail	x2 RS-232 DB-9
Ethernet / LAN	1x RJ45 GbE LAN
Other Ports	1x RJ11
Power Input Port	4-Pole DIN (latching)

Leistung

Input Voltage Range	19V DC
Standard Power Adapter	120W AC/DC Adapter

Betriebssysteme

Windows	Windows 10 IoT, Windows 10 Pro, Windows 11 IoT, Windows 11 Pro
Linux	Linux (Contact your sales rep for more information)

Kompatibilität

Security Hardware	TPM 2.0
-------------------	---------

Erweiterungssteckplätze

Internal M.2	1x M.2 2230 Key E (for WiFi expansion option)
Expansion Module support	2 USB based expansion areas on Bezel

Multimedia

Speakers	1x 3W Speaker
Camera	Optional 5MP Webcam

Thermisch & Umwelt

Operating Temperature	0°C - 35°C (32°F – 95°F)
Storage Temperature	-20°C - 60°C (-4°F – 140°F)
Cooling Solution	Passive – Fanless
Humidity Range	20% – 85% Non-condensing

Gehäuse

Material	Plastic
IP Rating	IP54 Front Bezel
Color	Black
Mounting Options	VESA 75 Mount

Peripheriegeräte und drahtlose Konnektivität

WiFi	Optional 802.11 a/b/g/n/ac
Bluetooth	Optional Bluetooth 5.1
Barcode Scanner	Optional 1D/2D Barcode Scanner
RFID	Optional RFID
Peripheral Other	3-Track MSR; Fingerprint Reader; Light Bar Indicator; Contact Teguar is you have a customized external Module request

Gewicht / Abmessungen

Weight	1.4 kg (3.1 lbs)
Dimensions	277 x 180.5 x 40.8 mm (10.9 x 7.1 x 1.6 in)


Zertifizierung

Certifications	CE, FCC Class A, LVD
----------------	----------------------


Garantie

Warranty	Up to 5 Years
----------	---------------

I/O Diagram Images



Tech Diagram Images



All specifications are subject to change without notice.