



## Features

- Intel 7th Gen. Core i3/i5/i7 CPU
- Up to 4x Expansion Slots
- 2x 260-pin DDR4 SO-DIMM Memory
- Wide Range Power Input (DC 9~36V)
- DIN Rail or Wall Mount Options
- Wide Operating Temperature (-20~60°C)

## Technical Specifications

### Primary Components

Processor Family	Intel Core I series 7th Generation Kaby Lake
Processor Model	Core i3-7101TE;Core i5-7500T;Core i7-7700T
Processor Speed	Up to 2.9 GHz Base
Memory Type	2x DDR4 SO-DIMM
Memory Support	4GB, 8GB, 16GB, 32GB
Storage Type	2x 2.5" SATA Drive Bay for SSD/HDD (easily accessible)
Storage Support	32GB-2TB, Accessible Bays Support RAID 0/1

### External I/O Ports

USB	2x USB 2.0, 4x USB 3.0
Serial / Com	4x COM
Serial Protocol Detail	1x RS-232/422/485, 2x RS-232, 1x RS-422/485
Ethernet / LAN	2x RJ45 GbE LAN
Video Outputs	1x HDMI
Other Ports	1x GPIO 8-bit digital I/O (4x DI, 4x DO)
Audio Ports	1x Audio Line-Out
Power Input Port	3-Pin DC-In (Phoenix Type)

### Power

Input Voltage Range	9-36V DC
Max Power Consumption	88W
Standard Power Adapter	Optional AC/DC Adapter

### Operating Systems

Windows	Windows 10 IoT, Windows 10 Pro
Linux	Linux (Contact your sales rep for more information)

### Compatibility

Security Hardware TPM 2.0

## Expansion Slots

Video Card Support PCIe x16 slot can support graphics cards up to 180MM long and 130 mm wide, max power draw 75W through PCIe connector

Other 2 or 4 Expansion Slots with PCIe x16 and PCIe x4 support

## Multimedia

Microphone Built-in Microphone

## Thermal & Environmental

Operating Temperature -20°C - 60°C - -20°C - 50°C (-4°F – 140°F (i3/i5 CPU), -4°F – 122°F (i7 CPU))

Storage Temperature -40°C - 85°C (-40°F – 185°F)

Cooling Solution Passive – Fanless with Heatsink

Humidity Range 10% – 90% Non-condensing

## Enclosure

Material Aluminum, Steel

Color Black

Control Buttons Power Button

Mounting Options DIN Rail Mount, Wall Mount

## Peripherals & Wireless Connectivity

Bluetooth Optional Bluetooth 4.2

Mobile Network 4G LTE Optional

## Weight / Dimensions

Weight 3.1 kg (6.8 lbs)

Dimensions 222 x 190 x 67 mm (8.7 x 7.5 x 2.6 in)

## Certification

Certifications CE, FCC Class A


## Warranty


Warranty Up to 5 Years

I/O Diagram Images



Tech Diagram Images





*All specifications are subject to change without notice.*