



Features

- 12? Touchscreen Display
- USB and HDMI Connectivity Options
- VESA Mountable
- 2-Piece Modular Design
- Stand Accessory Available

Technical Specifications

Display

Screen Size	11.6"
Screen Ratio	16:9
Brightness	220 nits

Touch Screen

Touch Screen	Projected Capacitive (Multi-touch)
--------------	------------------------------------

External I/O Ports

USB	1x USB 2.0 Type-C (Power/Video/Touch)
-----	---------------------------------------

Power

Input Voltage Range	12V DC
Standard Power Adapter	12V/3.0A US AC Power Supply 36W

Multimedia

Camera	Optional 2MP or 5MP Webcam
--------	----------------------------

Thermal & Environmental

Operating Temperature	0°C - 35°C (32°F – 95°F)
Storage Temperature	-20°C - 65°C (-4°F – 149°F)
Humidity Range	20% – 85% Non-condensing

Enclosure

Material	Plastic
Color	Black
Control Buttons	Auto Adjust, Power Button
Mounting Options	Desktop Stand, VESA 75 Mount


Weight / Dimensions

Dimensions 289 x 193 x 29 mm (11.4 x 7.6 x 1.1 in)


Certification

Certifications CE, FCC

I/O Diagram Images



Tech Diagram Images



All specifications are subject to change without notice.