



Features

- 23.8" Full HD Display Size
- FCC, CE, and 60601-1-2 Medically Compliant
- Built-in speakers with optional Auto Focus Webcam
- Multiple Inputs and Outputs such as 1x USB 2.0 Type-B, 1x USB 3.0 Type-B, 6x USB 3.0, 1x HDMI

Technical Specifications

Display

Screen Ratio	16:09
Brightness	250 nits

Touchscreen

Touch Screen	Projected Capacitive (Multi-touch)
--------------	------------------------------------

Externe E/A-Ports

USB	1x USB 2.0 Type-B (touch), 1x USB 3.0 Type-B (HUB), 6x USB 3.0
Power Input Port	5.0mm DC-in Jack

Leistung

Input Voltage Range	19V DC
Max Power Consumption	52W
Standard Power Adapter	19Vdc 3.78A, 72W, US AC

Multimedia

Speakers	2x 1W Speakers
Camera	Optional 5MP Auto Focus Webcam

Thermisch & Umwelt

Operating Temperature	0°C - 40°C (32°F – 104°F)
Storage Temperature	-10°C - 50°C (14°F – 122°F)
Cooling Solution	Passive – Fanless
Humidity Range	0% – 90% Non-condensing

Gehäuse

Material	Anti-Microbial, PC+ABS
IP Rating	IP65 Front Bezel
Color	White
Led Indicator Light	Power
Control Buttons	Auto/Exit, Menu, Power Button, Up/Down
Mounting Options	VESA 100 Mount

Gewicht / Abmessungen

Weight	7.32 kg (16.1 lbs)
Dimensions	370.5 x 567 x 45.2 mm (14.6 x 22.3 x 1.8 in)


Zertifizierung

Certifications	60601-1 4th Edition, CE, FCC
----------------	------------------------------


Garantie

Warranty	Up to 2 Years
----------	---------------

I/O Diagram Images



Tech Diagram Images



All specifications are subject to change without notice.