



Features

- Touch screen in full HD
- Integrated bays for up to three hot-swappable batteries
- VESA mountable
- WiFi antennas and reading light included
- Medically compliant with anti-microbial surfaces

Technical Specifications

Display

Screen Size	23.8"
Resolution	1920 x 1080 (Full HD)
Screen Ratio	16:9
Brightness	250 nits

Touchscreen

Touch Screen	Projected Capacitive (Multi-touch)
--------------	------------------------------------

Externe E/A-Ports

USB	1x USB 2.0 Type-B (touch), 1x USB 3.0 Type-B, 2x USB 2.0, 3x USB 3.0
Serial / Com	2x COM
Other Ports	2x WiFi Antenna Passthrough

Leistung

Input Voltage Range	19V DC
Standard Power Adapter	19V, 6.31A DC Power Supply w/ US AC Power Cord

Batterie

Battery Type	Optional Hot-Swappable 90Wh/8250mAh Battery
--------------	---

Multimedia

Speakers	2x Speakers
Camera	Optional 5MP Webcam
Microphone	With Optional 5MP Webcam

Thermisch & Umwelt

Operating Temperature	0°C - 40°C (32°F – 104°F)
Storage Temperature	-20°C - 60°C (-4°F – 140°F)
Humidity Range	0% – 90% Non-condensing

Gehäuse

Material	Anti-Microbial, PC+ABS
IP Rating	IP65 Front Bezel, IPX2 enclosure
Color	White
Control Buttons	Auto/Exit, Brightness Down, Brightness Up, Display on/off, Menu, Reading Light
Mounting Options	Desktop Stand, VESA 100 Mount

Peripheriegeräte und drahtlose Konnektivität

WiFi	Built-In WiFi Antennas
RFID	Optional RFID Available

Gewicht / Abmessungen

Dimensions	565 x 370 x 42 mm (22.2 x 14.6 x 1.7 in)
------------	--


Zertifizierung

Certifications	60601 Compliant
----------------	-----------------


Garantie

Warranty	1 Year
----------	--------


[I/O Diagram Images](#)



A	USB 2.0	J	DC-input
B	Battery bays (not visible this angle)	K	USB Type-B input
C	Power button	L	Reading light on/off button
D	Right/Increment button	M	COM ports
E	Left/Decrement button	N	Reading light
F	Menu/Enter button	O	HDMI input
G	Exit/Return button	P	USB 3.0
H	Speakers	Q	USB Type-B for touch screen connection
I	DC-outputs	R	Wi-Fi antennas



Tech Diagram Images



All specifications are subject to change without notice.