



Features

- 10.1" Full Flat IP65 Protected Touchscreen
- Intel Elkhart Lake 10th Gen Celeron J6412 Quad core CPU
- Windows 11 Capabilities
- Projected Capacitive Multi-Touch Touchscreen
- Multiple I/Os including 2x USB 3.0, 4x USB 2.0, 1x USB-C, 3x COM, 1X LAN

Technical Specifications

Primäre Komponenten

Processor Family	Intel Celeron Elkhart Lake
Processor Model	Celeron J6412 Quad
Processor Speed	2.0 GHz, 2.6 GHz
Memory Type	1x DDR4 SO-DIMM
Memory Support	4GB, 8GB, 16GB
Storage Type	1x M.2 slot for SSD
Storage Support	M.2: 64GB-1TB

Display

Screen Size	10.1"
Screen Ratio	16:10
Brightness	200 nits

Touchscreen

Touch Screen	Projected Capacitive
Hardness	> 6H

Externe E/A-Ports

USB	1x USB 3.0, 1x USB 3.0 type C, 3x USB 2.0
Serial / Com	3x COM
Serial Protocol Detail	RJ-48 plug with adapter to DB-9, RS-232 protocol, with configurable power to Pin-9
Ethernet / LAN	1x RJ45 GbE LAN
Power Input Port	4-Pole DIN (latching)

Leistung

Input Voltage Range	19V DC
Standard Power Adapter	Included 65W AC/DC Adpater

Betriebssysteme

Windows	Windows 10 IoT, Windows 10 Pro, Windows 11 IoT, Windows 11 Pro
Linux	Linux (Contact your sales rep for more information)

Erweiterungssteckplätze

Internal M.2	1x M.2
Video Card Support	Intel HD Graphics

Multimedia

Speakers	2x 2W Speakers
Camera	2MP Webcam

Thermisch & Umwelt

Operating Temperature	0°C - 40°C (32°F – 104°F)
Storage Temperature	-20°C - 60°C (-4°F – 140°F)
Cooling Solution	Passive – Fanless
Humidity Range	25% – 85% Non-condensing

Gehäuse

Material	Aluminum
IP Rating	IP65 Front Bezel
Color	Black
Mounting Options	VESA 75 Mount
Approved Cleaning Solutions	3M HB Quat, Acetone, Actichlor, Alcohol, Ammonium Nitrate (low concentration), Antigone, Betasept, Bleach, Caviwipes, Chloride, CIDEX, Control III Disinfectant Germicide, Dispatch Disinfectant Cleaner CLH69101, Incidin, Isopropyl Alcohol, LpH se, MikroBac, Mikrozyd, Peridox, Puregreen 24 Disinfectant, SDW 70C, Sodium Hypochlorite, SporeClear, Trigene, Viraguard, Virkon, Windex

Peripheriegeräte und drahtlose Konnektivität

WiFi	Optional WiFi 6E
Bluetooth	Optional Bluetooth 5.3
Barcode Scanner	Optional 1D/2D Barcode Scanner
RFID	Optional RFID Module

Gewicht / Abmessungen

Weight	1.5 kg (3.3 lbs)
Dimensions	263 x 38 x 170 mm (10.4 x 1.5 x 6.7 in)

Zertifizierung

Certifications	CE, FCC Class A, LVD
----------------	----------------------


Garantie

Warranty	Up to 5 Years
----------	---------------

I/O Diagram Images



Tech Diagram Images



All specifications are subject to change without notice.