



Features

- 17" Full Flush LCD Touchscreen
- Intel Celeron N2930 CPU with SoC
- IP66 Rated, Fully Sealed, Fanless Design
- Resistive or Projected Capacitive Touchscreen
- Easy to Clean with Touchscreen On/Off Button
- Optional PoE LAN Port for System Power

Technical Specifications

Primäre Komponenten

Processor Family	Intel Celeron Bay Trail
Processor Model	N2930
Processor Speed	1.83 GHz
Memory Type	Onboard DDR3
Memory Support	4GB
Storage Type	1x 2.5" SATA Drive Bay for SSD/HDD
Storage Support	32GB-1TB

Display

Screen Size	17"
Resolution	1280 x 1024 (SXGA)
Screen Ratio	4:3
Brightness	350 nits, Optional 1000 nit High Brightness

Touchscreen

Touch Screen	Projected Capacitive, Resistive
--------------	---------------------------------

Externe E/A-Ports

USB	2x M12 8Pin for USB 1/2 and USB 3/4
Serial / Com	1x COM
Serial Protocol Detail	1x M12 8Pin for RS-232/422/485 COM Port
Ethernet / LAN	1x M12 8pin RJ45 Gbe LAN
Power Input Port	M12 type 3-PIN DC-in

Leistung

Input Voltage Range	9-36V DC
---------------------	----------

Betriebssysteme

Windows Windows 10 IoT, Windows 10 Pro, Windows 8.1 Pro

Thermisch & Umwelt

Operating Temperature 0°C - 50°C (32°F – 122°F), -20°C - 60°C (Optional -4°F – 140°F)
Storage Temperature -30°C - 70°C (-22°F – 158°F)
Cooling Solution Passive – Fanless
Humidity Range 10% – 90% Non-condensing

Gehäuse

Material Optional SUS316 Stainless Steel, SUS304 Stainless Steel
IP Rating IP66
Color Stainless Steel
Control Buttons Power Button, Power Switch
Mounting Options Side Mount, VESA 75 Mount

Peripheriegeräte und drahtlose Konnektivität

RFID Optional RFID Module

Gewicht / Abmessungen

Weight 7.1 kg (15.7 lbs)
Dimensions 432 x 358 x 55.3 mm (17.0 x 14.1 x 2.2 in)

Zertifizierung

Certifications CE, FCC Class A


Garantie

Warranty Up to 5 Years

I/O Diagram Images



Tech Diagram Images



All specifications are subject to change without notice.