



Features

- 22" Resistive or PCap Touchscreen Options
- Intel Celeron J6412 Processor Passmark Rating 3839
- Windows 11 Capabilities
- Integrated Cable Gland supporting up to 5 I/O cables

Technical Specifications

Primäre Komponenten

Processor Family	Intel Celeron Elkhart Lake
Processor Model	Celeron J6412
Processor Speed	2.0 GHz, 2.6 GHz
Memory Type	2x DDR4 SO-DIMM
Memory Support	16GB, 32GB, 4GB, 8GB
Storage Type	1x 2.5" SATA Drive Bay for SSD/HDD (Internal, not with removable drive in use), 1x M.2 SATA3 2242 Slot
Storage Support	M.2 and 2.5": 128GB - 1TB

Display

Screen Size	21.5
Resolution	1920 x 1080 (Full HD)
Screen Ratio	16:9
Brightness	250 nits

Touchscreen

Touch Screen	5 Wire Resistive, Projected Capacitive (Multi-touch)
Hardness	Resistive: 3H, P-cap: 7H

Externe E/A-Ports

USB	2x USB 2.0, 2x USB 3.2
Serial / Com	2x COM
Serial Protocol Detail	RS-232/422/485
Ethernet / LAN	1x RJ45 2.5 GbE LAN, 1x RJ45 GbE LAN
Video Outputs	1x HDMI 2.0b, 1x VGA
Audio Ports	1x 3.5mm Audio Line-Out, 1x 3.5mm Microphone Jack
Power Input Port	M12 type 5-PIN DC-in

Leistung

Input Voltage Range	12-28V DC
Standard Power Adapter	100~277Vac /47~63 Hz/ 24Vdc, 120W, IP68

Betriebssysteme

Windows	Windows 10 IoT, Windows 10 Pro, Windows 11 IoT, Windows 11 Pro
---------	--

Kompatibilität

Security Hardware	fTPM 2.0, Optional TPM 2.0
-------------------	----------------------------

Multimedia

Speakers	Optional Speaker
----------	------------------

Thermisch & Umwelt

Operating Temperature	0°C - 40°C - 0°C - 50°C (32°F – 104°F (With HDD), 32°F – 122°F (With SSD))
Storage Temperature	-20°C - 60°C (-4°F – 140°F)
Cooling Solution	Passive – Fanless
Humidity Range	10% – 90% Non-condensing
Storage Humidity	10% – 90% Non-condensing

Gehäuse

Material	Optional SUS316 Stainless Steel, SUS304 Stainless Steel
IP Rating	IP66, IP69K
Color	Stainless Steel
Control Buttons	Power Button
Mounting Options	VESA 100 Mount, Wall Mount, Yoke Mount

Peripheriegeräte und drahtlose Konnektivität

WiFi	Optional Wi-Fi 6 (802.11 a/b/g/n/ac/ax) Dual band with Flat Robust Antennas
Bluetooth	Optional Bluetooth 5.3
Barcode Scanner	Optional 1D/2D with Device Box

Gewicht / Abmessungen


Weight	12 kg (26.5 lbs)
Dimensions	557 x 58.5 x 348.5 mm (21.9 x 2.3 x 13.7 in)

Garantie


Warranty

Up to 5 Years

I/O Diagram Images



Tech Diagram Images



All specifications are subject to change without notice.