



## Features

- 21.5" Flat Front Waterproof Touchscreen
- Intel 6th Gen. Core i3/i5 CPU
- Wide Range DC 9~36V Power Input
- IP66/IP69K Compliant Front Bezel
- Aluminum Back Cover and Fanless Design

## Technical Specifications

### Primäre Komponenten

Processor Family	Intel Core I series 6th Generation Skylake
Processor Model	Core i3-6100U
Processor Speed	2.3 GHz
Memory Type	1x DDR4 SO-DIMM
Memory Support	4GB, 8GB, 16GB
Storage Type	1x 2.5" SATA Drive Bay for SSD/HDD (easily accessible)
Storage Support	32GB-1TB

### Display

Screen Size	21.5
Screen Ratio	16:9
Brightness	250 nits, Optional 1000 nit High Brightness

### Touchscreen

Touch Screen	Projected Capacitive, Resistive
--------------	---------------------------------

### Externe E/A-Ports

USB	2x USB 3.0
Serial / Com	2x COM
Serial Protocol Detail	1x RS-232/422/485 DB-9, default RS-232(COM1), 1x RS-232 DB-9(COM2)
Ethernet / LAN	2x RJ45 GbE LAN
Video Outputs	1x Optional HDMI
Audio Ports	1x Audio Line-Out
Power Input Port	3-Pin DC-In (Phoenix Type)

### Leistung

Input Voltage Range	9-36V DC
Max Power Consumption	53W
Standard Power Adapter	Optional 12V AC/DC Adapter

## Betriebssysteme

Windows	Windows 10 IoT, Windows 10 Pro
---------	--------------------------------

## Kompatibilität

Security Hardware	TPM 2.0
-------------------	---------

## Erweiterungssteckplätze

SD card	1x Full Size SD Slot
---------	----------------------

## Thermisch & Umwelt

Operating Temperature	0°C - 50°C - 0°C - 40°C (32°F – 122°F (Standard), 32°F – 104°F (With High Bright LCD))
Storage Temperature	-20°C - 60°C (-4°F – 140°F)
Cooling Solution	Passive – Fanless
Storage Humidity	10% – 90% Non-condensing

## Gehäuse

Material	Aluminum, Optional SUS316 Stainless Steel, SUS304 Stainless Steel
IP Rating	IP66 Front Bezel, IP69K Front Bezel
Mounting Options	Panel Mount, VESA 100 Mount
Approved Cleaning Solutions	Acetic Acid (low concentration), Ammonium Nitrate (low concentration), Benzene, Citric Acid (low concentration), Ethanol, Ethylene Glycol Solution (1:1 with water), Hexane, Hydrochloric Acid (low concentration), Iron Chloride Solution, Isooctane, Isopropyl Alcohol, Nitric Acid (low concentration), Paraffin, Perhydrol (30% in water), Phosphoric Acid (low concentration), Propane, Silicone Oil, Sodium Carbonate (low concentration), Sodium Chloride Solution, Sodium Nitrate (low concentration), Sulfuric Acid (low concentration), Triethylene Glycol

## Peripheriegeräte und drahtlose Konnektivität

WiFi	WiFi
------	------

## Gewicht / Abmessungen

Weight 7.8 kg (17.2 lbs)  
 Dimensions 573.8 x 378.8 x 59.8 mm (22.6 x 14.9 x 2.4 in)

**Zertifizierung**

Certifications CE, FCC Class A


**Garantie**

Warranty Up to 5 Years

**I/O Diagram Images**



**Tech Diagram Images**



*All specifications are subject to change without notice.*