



Features

- 21.5" Full HD Display with PCAP Touchscreen
- Intel Celeron J6412 Quad-Core CPU
- Various Mounting Stands
- Modular Design with Removable Box PC
- Customizable and Expandable

Technical Specifications

Primary Components

Processor Family	Intel Celeron Elkhart Lake
Processor Model	Celeron J6412
Memory Type	1x DDR4 SO-DIMM
Memory Support	4GB, 8GB, 16GB
Storage Type	1x M.2 slot for SSD
Storage Support	M.2: 128GB-1TB

Display

Screen Size	21.5
Screen Resolution	1920 x 1080 (Full HD)
Screen Ratio	16:9
Brightness	300 nits

Touch Screen

Touch Screen	Projected Capacitive (Multi-touch)
--------------	------------------------------------

External I/O Ports

USB	2x USB 2.0, 2x USB 3.0, 2x USB Type C (Data only)
Serial / Com	2x COM
Serial Protocol Detail	x2 RS-232 DB-9
Ethernet / LAN	1x RJ45 GbE LAN
Other Ports	Custom connector for External Monitor
Power Input Port	4-Pole DIN (latching)

Power

Input Voltage Range	19V DC
Standard Power Adapter	65W AC/DC Adapter

Operating Systems

Windows	Windows 10 IoT, Windows 10 Pro, Windows 11 IoT, Windows 11 Pro
Linux	Linux (Contact your sales rep for more information)

Compatibility

Security Hardware	fTPM 2.0
-------------------	----------

Expansion Slots

Internal M.2	1x M.2 2230 Key E (for WiFi expansion option)
Expansion Module support	4 USB based expansion areas on Bezel

Multimedia

Speakers	1x 3W Speaker
Camera	Optional Webcam

Thermal & Environmental

Operating Temperature	0°C - 35°C (32°F – 95°F)
Storage Temperature	-20°C - 60°C (-4°F – 140°F)
Cooling Solution	Passive – Fanless
Humidity Range	20% – 85% Non-condensing

Enclosure

Material	Plastic
IP Rating	IP54 Front Bezel
Color	Black
Mounting Options	VESA 100 Mount, VESA 75 Mount

Peripherals & Wireless Connectivity

WiFi	Optional through M.2 interface
Bluetooth	Optional Bluetooth 5.1
Barcode Scanner	Optional 1D/2D Barcode Scanner
RFID	Optional 13.56 NFC External Module
Peripheral Other	Contact Teguar is you have a customized external Module request

Weight / Dimensions

Weight	5.4 kg (11.9 lbs)
Dimensions	519 x 311 x 49 mm (20.4 x 12.2 x 1.9 in)


Certification

Certifications	CE, FCC
----------------	---------


Warranty

Warranty	Up to 5 Years
----------	---------------

I/O Diagram Images



Tech Diagram Images



All specifications are subject to change without notice.