



Features

- 21.5" Widescreen Full HD Display
- Anti-bacteria, Anti-MRSA Plastic Housing
- IEC60601-1 4th Edition Medically Certified
- HDMI, DisplayPort, DVI-D, Audio-in
- Compatible with DICOM

Technical Specifications

Display

Screen Size	21.5
Screen Resolution	1920 x 1080 (Full HD)
Screen Ratio	16:9
Brightness	Optional 350 nits DICOM, 250 nits

Touch Screen

Touch Screen	Projected Capacitive (Multi-touch)
Hardness	7H

External I/O Ports

USB	1x USB 2.0
-----	------------

Power

Standard Power Adapter	AC input 100 ~ 264V / 47 ~ 63 Hz / DC output 12V
------------------------	--

Expansion Slots

Other	Optional PCI-e Riser Card
-------	---------------------------

Multimedia

Speakers	2x 1.5W Speakers
----------	------------------

Thermal & Environmental

Operating Temperature	0°C - 40°C (32°F – 104°F)
Storage Temperature	-20°C - 60°C (-4°F – 140°F)
Cooling Solution	Passive – Fanless
Humidity Range	10% – 90% Non-condensing

Enclosure

Material	Plastic
IP Rating	IP65 Front Bezel
Color	White
Led Indicator Light	Power
Control Buttons	Audio Down, Audio Up, Auto, Display on/off, Down, Enter, Power Button
Mounting Options	Desktop Stand, VESA 100 Mount, VESA 75 Mount

Weight / Dimensions

Weight	6.4 kg (14.1 lbs)
Dimensions	540 x 375 x 78 mm (21.3 x 14.8 x 3.1 in)


Warranty

Warranty	Up to 5 Years
----------	---------------

I/O Diagram Images



Tech Diagram Images



All specifications are subject to change without notice.