



Features

- Full HD 21.5" touch screen display
- Three bays for hot-swappable batteries
- VESA mountable
- Built-in WiFi antennas and speakers
- Medically compliant with anti-microbial surfaces

Technical Specifications

Display

Screen Size	21.5
Screen Resolution	1920 x 1080 (Full HD)
Screen Ratio	16:9
Brightness	250 nits

Touch Screen

Touch Screen	Projected Capacitive (Multi-touch)
--------------	------------------------------------

External I/O Ports

USB	1x USB 2.0 Type-B (touch), 1x USB 3.0 Type-B, 2x USB 2.0, 3x USB 3.0
Serial / Com	2x COM
Other Ports	2x WiFi Antenna Passthrough

Power

Input Voltage Range	19V DC
Standard Power Adapter	19V, 6.31A DC Power Supply w/ US AC Power Cord

Battery

Battery Type	Optional Hot-Swappable 90Wh/8250mAh Battery
--------------	---

Multimedia

Speakers	2x Speakers
Camera	Optional 5MP Webcam
Microphone	With Optional 5MP Webcam

Thermal & Environmental

Operating Temperature	0°C - 40°C - 0°C - 50°C (32°F – 104°F (With HDD), 32°F – 122°F (With SSD))
Storage Temperature	-20°C - 60°C (-4°F – 140°F)
Humidity Range	0% – 90% Non-condensing

Enclosure

Material	Anti-Microbial, PC+ABS
IP Rating	IP65 Front Bezel, IPX2 enclosure
Color	White
Control Buttons	Auto/Exit, Display on/off, Menu, Up/Down
Mounting Options	Desktop Stand, VESA 100 Mount

Peripherals & Wireless Connectivity

WiFi	Built-In WiFi Antennas
RFID	Optional RFID Available


Weight / Dimensions

Dimensions	345.9 x 516.9 x 40.4 mm (13.6 x 20.4 x 1.6 in)
------------	--


Certification

Certifications	60601 Compliant
----------------	-----------------


I/O Diagram Images



A USB 2.0	J DC-input
B Battery bays (not visible this angle)	K USB Type-B input
C Power button	L Reading light on/off button
D Right/Increment button	M COM ports
E Left/Decrement button	N Reading light
F Menu/Enter button	O HDMI input
G Exit/Return button	P USB 3.0
H Speakers	Q USB Type-B for touch screen connection
I DC-outputs	R Wi-Fi antennas



Tech Diagram Images



All specifications are subject to change without notice.