



## Features

- 27" Full HD Display Size
- Multiple Inputs and Outputs such as 1x USB 2.0 Type-B, 1x USB 3.0 Type-B, 6x USB 3.0, 1x HDMI
- FCC, CE, and 60601-1-2 Medically Compliant
- Sleek design with anti-microbial Housing

## Technical Specifications

### Display

Screen Size	27"
Screen Resolution	1920 x 1080 (Full HD)
Screen Ratio	16:9
Brightness	300 nits

### Touch Screen

Touch Screen	Projected Capacitive (Multi-touch)
--------------	------------------------------------

### External I/O Ports

USB	1x USB 2.0 Type-B (touch), 1x USB 3.0 Type-B (HUB), 6x USB 3.0
Power Input Port	5.0mm DC-in Jack

### Power

Input Voltage Range	19V DC
Max Power Consumption	58W
Standard Power Adapter	19Vdc 3.78A, 72W, US AC

### Multimedia

Speakers	2x 1W Speakers
Camera	Optional 5MP Auto Focus Webcam

### Thermal & Environmental

Operating Temperature	0°C - 40°C (32°F – 104°F)
Storage Temperature	-10°C - 50°C (14°F – 122°F)
Cooling Solution	Passive – Fanless
Humidity Range	0% – 90% Non-condensing

### Enclosure

Material	Anti-Microbial, PC+ABS
IP Rating	IP65 Front Bezel
Color	White
Control Buttons	Auto/Exit, Power Button, Up/Down
Mounting Options	VESA 100 Mount

## Weight / Dimensions

Weight	7.34 kg (16.2 lbs)
Dimensions	411.8 x 639.1 x 45 mm (16.2 x 25.2 x 1.8 in)


## Certification

Certifications	60601-1 4th Edition, CE, FCC
----------------	------------------------------


## Warranty

Warranty	1 Year
----------	--------

## I/O Diagram Images



## Tech Diagram Images



*All specifications are subject to change without notice.*